

Nutrient Analysis

Commonly referred to as Typical Nutrient Analysis (NA), this describes the nutrient content that a specific pet food formula is expected to achieve based on data from the formula database, or in some cases, from an actual laboratory assay. The goal in posting the Typical NA is to provide nutritionists and veterinarians with information that can aid in the treatment of clinical problems such as a cat with struvite or in working with overly obese dogs to prescribe feeding amounts and diet choice for the animal's success. For more information, read our [NA FAQ's](#).

Protein	26.825 %
Arginine	1.906 %
Histidine	0.528 %
Isoleucine	0.962 %
Leucine	1.82 %
Lysine	1.484 %
Met-Cysteine	0.797 %
Methionine	0.546 %
Phe-Tyrosine	1.767 %
Phenylalanine	1.03 %
Threonine	0.963 %
Valine	1.184 %
Fat	16.593 %
Linoleic Acid	3.035 %
Arachidonic Acid	0.075 %
Ash	5.9 %
Calcium	1.358 %
Phosphorous	0.924 %
Sodium	0.35 %
Magnesium	0.096 %
Iron	122.409 mg/kg
Copper	13.532 mg/kg
Manganese	29.942 mg/kg
Zinc	191.395 mg/kg
Iodine	3.249 mg/kg
Selenium	0.442 mg/kg
Vitamin A	18568.375 IU/kg
Vitamin D	1862.894 IU/kg
Vitamin E	345.074 IU/kg
Vitamin B1 (Thiamine)	3.783 mg/kg
Vitamin B2 (Riboflavin)	3.29 mg/kg
Vitamin B5 (Pantothenic Acid)	13.406 mg/kg
Vitamin B3 (Niacin)	35.702 mg/kg
Vitamin B6 (Pyridoxine)	2.715 mg/kg

Folic Acid	0.569 mg/kg
Biotin	0.072 mg/kg
Choline	2274.403 mg/kg
Taurine	0.119 %
Omega 3	0.476 %
Fiber	0.81 %
Carbohydrates	43.215 %
Ascorbic Acid (Vitamin C)	16.03 mg/kg

*Calculated amounts may differ from packaging as some packaging values are based on available feeding trial data.